


Acclaim
Fixed Seating



Acclaim Fixed Seating



Acclaim Chair:

The Acclaim offers functional and subtle elegance with simple, pleasing lines that will not detract from surrounding architecture. A slim chair profile permits the architect to increase seating capacity without sacrificing comfort or proper egress. Fully upholstered seats and backs, solid wood arms in a variety of woods and removable fabric covers are standard features of the Acclaim.



Features:

- Gravity seat mechanism provides a soft and consistent tip-up action to the vertical position.
- Unique slim profile of only 15" allows greater chair capacity while maintaining conformance with local codes.
- Hardwood armcaps are available in a variety of species and finishes.
- Removable zippered seat and back covers are standard and allow for easy on-site replacement.
- Durable powder coat finish is standard on all steel components.
- Flush mounted floor attachment hardware is standard on the Acclaim.
- A retractable tablet arm that folds between the seat and frame is available.
- Fabric or wood veneer side panels can be used at the aisle or throughout the row.
- Outer wood veneer back panels are available for acoustical quality and refined appearance.
- Outer plastic laminate back panels are available for extra protection.
- California Technical Bulletin 133 fire compliance is optional.
- Lifetime Warranty is standard on the Acclaim.
- Power and Data feature includes a divided raceway for electrical and network wiring, conveniently located 110V receptacle and RJ-45 data jack.



Professional Services:


Theatre Solutions offers a variety of services designed to help in the planning and successful completion of any project requiring the use of theater seating. Our services include analyzing proposed architectural plans and developing a seating layout that best meets the project criteria. We will assist in resolving issues related to code compliance and sight line development. All Navetta preliminary services are free to architects and potential customers.

Further assistance is offered at those times when the architect has a need for custom components or a total new product concept. Navetta's team of experienced product designers welcome the opportunity to assist designers in developing solutions to the most unique project requirements.

Lifetime Warranty:

Theatre Solutions is confident that our seating products will last longer, require less maintenance and perform better than any other auditorium chairs. Navetta offers the most comprehensive lifetime warranty available in the theater seating market.





Sacramento Federal Courthouse
Nacht & Lewis Architects
and Hansen Lind Meyer Architects

Specifications



SEAT: The seat inner panel shall be ply-wood. The padding shall be glued to the inner panel, and shall conform to the CA TB 117. The seat shall have a built-in counter-weight to insure automatic self-rising without the aid of springs. The seat shall be fully upholstered on all surfaces and enclosed at the rear/bottom with a zipper allowing on-site re-upholstery.

BACK: The inner panel shall be curved plywood. The padding shall be glued to the inner panel, and shall conform to the CA TB 117. The complete back shall be fully upholstered on all surfaces, and enclosed at the bottom with a zipper allowing on-site re-upholstery.

ARMRESTS: Shall be solid cherry hardwood, stained to match the architect's sample.

SEAT HINGE: Shall be double stamped and welded 14-gauge steel with recessed holes for flush screw attachment. Rubber bumpers shall be provided to insure silent seat return. The hinge shall be designed to offer a positive stop location for the seat in both occupied and unoccupied positions.

METAL STANDARDS: The frame shall consist of 3/4" x 2" x 16 gauge steel tubing, and 1/4" x 2" steel bar welded into one integral freestanding structure upon which the seat, back and armrests are assembled. Seat pivots and stop pins shall be machined from cold finished steel. The floor-mounted footpad shall be 3/8" solid steel plate with two countersunk holes for the floor attaching bolts.

WARRANTY: The seating manufacturer shall warrant its products against failures and manufacturing defects for the life of the product. This warranty applies to the original purchaser only and it is non-transferable. The seating manufacturer will provide parts and labor to replace defective parts for the first two years after the installation. Thereafter, the manufacturer will provide replacement parts for the life of the product.

TABLET ARM: The retractable tablet folds between the arm and seat. Both sides are finished with matte black high-pressure laminate and the edges are finished with vinyl T-Molding. The writing surface is attached to a steel support plate. The chair profile with the tablet arm closed measures 20 1/2", or 29" with the tablet arm open.

OUTER BACK PANEL: Available in a variety of wood finishes or high-pressure laminate, the outer back panel is ideal for use in chairs requiring acoustical quality or extra protection.

Available in a variety of wood finishes or high-pressure laminate, the outer back panel is ideal for use in chairs requiring acoustical quality or extra protection.

Please contact Navetta for complete specifications and details. Designs subject to change by Navetta.

